







PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	600-917	QUINT-PS/ 1VAC/24VDC/10
2	1	901-023	Top Plate for NLC
3	1	901-020	Bottom plate assembly NLC
4	2	600-928	Automatsikring 6A





Dimensions : Millimetres [Inches]

Estimated weight: 14,69 kg (32,39 lbs)

50MM AT A3

TITLE:
500-302-2AC
Full size NLC - Double AC power supply


DRAWING No.:					Sheet No.:	DRAWN BY:
500-302-2AC					1	LSA
SCALE:	SIZE:	REV. NO.:	TOLERANCES:	REVIEWED BY:	CREATION DATE:	
1 : 2	A3	0	DS/ISO 2768-f	PHH	29-03-2023	


MATERIAL DESCRIPTION:
(25µ) Silver anodized according to EN ISO 7599
(25µ) Black anodized according to EN ISO 7599


This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.


LOPOLIGHT
Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com









Dimensions : Millimetres [Inches]

Estimated weight: 15,7 kg (34,61 lbs)

50MM AT A3

TITLE:
500-302-2AC
Full size NLC - Double AC power supply
(Shown with NLC Cabinet 400x400x200mm, Mimic and Core NLC)

DRAWING No.:					Sheet No.:	DRAWN BY:
500-302-2AC					2	LSA
SCALE:	SIZE:	REV. NO.:	TOLERANCES:	REVIEWED BY:	CREATION DATE:	
1 : 5	A3	0	DS/ISO 2768-f	PHH	29-03-2023	

MATERIAL DESCRIPTION:
(25µ) Silver anodized according to EN ISO 7599
(25µ) Black anodized according to EN ISO 7599


This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.


LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com

PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	600-917	QUINT-PS/ 1VAC/24VDC/10
2	1	901-023	Top Plate for NLC
3	1	901-020	Bottom plate assembly NLC
5	0	500-100 XX/CORE NLC	NLC core
6	0	500-126	NLC Cabinet 400x400x200mm
7	0	500-140G2	Mimic webserver/client (TCP/IP) Kontron





Estimated weight: 15,7 kg (34,61 lbs)

TITLE:
500-302-2AC
Full size NLC - Double AC power supply
(Shown with NLC Cabinet 400x400x200mm, Mimic and Core NLC)

DRAWING No.:				Sheet No.:	DRAWN BY:
500-302-2AC				3	LSA
SCALE:	SIZE:	REV. NO.:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1 : 10	A3	0	DS/ISO 2768-f	PHH	29-03-2023

MATERIAL DESCRIPTION:
(25µ) Silver anodized according to EN ISO 7599
(25µ) Black anodized according to EN ISO 7599

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.

50MM AT A3

LOPOLIGHT
Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com