








— 47,15 [1,86]

 0 [0]



96,5 [3,8]





74,5 [2,93]

48,5 [1,91]

0 [0]

23,57 [0,93]

G



Dimensions: Millimetres [Inches]

Estimated weight: 1,08 kg (2,37 lbs)

TITLE:
301-009ST
2nm Port
On a 400-035 Promount base, Cable Down

DRAWING No.: 301-009ST				Sheet No.: 2	DRAWN BY: LSA
SCALE: 1 : 2	SIZE: A3	REV. NO.:	TOLERANCES: DS/ISO 2768-f	REVIEWED BY:	CREATION DATE: 20-03-2025
MATERIAL DESCRIPTION: Alu. EN6082, Acrylic				(20p) Silver anodized according to EN ISO 7599 (50p) Black anodized according to MIL-A 8625F	

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



LOPOLIGHT




Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com



A B C D E F G H I J

1





2

3



4

5

6



Dimensions: Millimetres [Inches]
Estimated weight: 1,09 kg (2,41 lbs)



7

8

A B C D E F G H I J

TITLE:
301-009ST
2nm Port
On a 400-034 Promount base, Cable Side

DRAWING No.: 301-009ST Sheet No.: 3 DRAWN BY: LSA

SCALE: 1 : 2 SIZE: A3 REV. NO.: TOLERANCES: DS/ISO 2768-f REVIEWED BY: CREATION DATE: 20-03-2025

MATERIAL DESCRIPTION: Alu. EN6082, Acrylic (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com

1

2

3






4

5

6

7

8



Dimensions: Millimetres [Inches]
Estimated weight: 1,09 kg (2,41 lbs)

TITLE:

301-009ST

2nm Port

On a 400-034 Promount base, Cable Down

Sheet No.: **4**

DRAWN BY: **LSA**

SCALE:	SIZE:	REV. NO.:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1 : 2	A3		DS/ISO 2768-f		20-03-2025

MATERIAL DESCRIPTION:

Alu. EN6082, Acrylic

(20p) Silver anodized according to EN ISO 7599

(50p) Black anodized according to MIL-A 8625F


This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.




LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com









Dimensions: Millimetres [Inches]
Estimated weight: 1,16 kg (2,55 lbs)

TITLE: 301-009ST 2nm Port On a 400-034 Promount base and 400-404 PE base plate, Cable Side					
DRAWING No.: 301-009ST				Sheet No.: 5	DRAWN BY: LSA
SCALE: 1 : 2	SIZE: A3	REV. NO.:	TOLERANCES: DS/ISO 2768-f	REVIEWED BY:	CREATION DATE: 20-03-2025
MATERIAL DESCRIPTION: Alu. EN6082, Acrylic, PE (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F					
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.					

LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel: (+45) 32 48 50 30
info@lopolight.com



Dimensions: Millimetres [Inches]
Estimated weight: 1,16 kg (2,55 lbs)

TITLE: 301-009ST				
2nm Port				
On a 400-034 Promount base and 400-404 PE base plate, Cable Down				
DRAWING No.: 301-009ST			Sheet No.: 6	DRAWN BY: LSA
SCALE: 1 : 2	SIZE: A3	REV. NO.:	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: CREATION DATE: 20-03-2025
MATERIAL DESCRIPTION: Alu. EN6082, Acrylic, PE			(20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F	








This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.

LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com





Dimensions: Millimetres [Inches]
Estimated weight: 1,32 kg (2,92 lbs)

TITLE:
301-009ST
2nm Port
On a 400-037 Promount base and 400-404 PE base plate , Cable Side

DRAWING No.: **301-009ST** Sheet No.: **7** DRAWN BY: **LSA**

SCALE: **1 : 2** SIZE: **A3** REV. NO.: **DS/ISO 2768-f** REVIEWED BY: **20-03-2025** CREATION DATE:

MATERIAL DESCRIPTION:
Alu. EN6082, Acrylic, PE (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel: (+45) 32 48 50 30
info@lopolight.com